

Coupling Different Hierarchies of Climate Models with the CLiMA Coupler

Ben Mackay¹, Lenka Novak¹, Christopher N Hill², Simon Byrne¹, Valeria Barra¹, Oswald Knoth³, Katherine Deck¹, Akshay Sridhar¹, Gregory LeClaire Wagner², Michael Howland¹ and Tapiro Schneider¹,


(1)California Institute of Technology, Pasadena, CA, United States, (2)Massachusetts Institute of Technology, Cambridge, MA, United States, (3)Leibniz Institute for Tropospheric Research, Leipzig, Germany

What is a coupler?


A coupler is a software component of an Earth System Model (ESM) that communicates information between model components and organizes their execution, synchronization, and output. Existing couplers include OASIS3-MCT, ESMF, CMEPS, FMS, and precICE.

A standalone coupling module facilitates:


- Independent development of ESM component models
- Composable, modular construction of coupled systems
 - Components each specify PDEs, time-steppers, discretizations, and grids
 - Faster identification and assessment of numerics errors
 - Easy model intercomparisons
 - Parallel execution of component models




The CLiMA Coupler



A Coupled Sea Breeze



(a) Model setup. Initially, the atmosphere is at rest with a potential temperature of 270K and perturbed bottom 100m. The bottom of the domain is split between a cool ocean (267K) and warmer land (273K).




(b) Heating from the land warms the atmosphere creating an updraft on the righthand side of the domain. The ocean cools the bottom of the atmosphere above it.

Model & Coupling Goals

The land-sea breeze is caused by differential heating of the atmosphere by the land and ocean. We present here a three-component coupled simulation prototyping the sea breeze using a small, coarse domain as a first step towards a coupled LES sea breeze. This step up in our model hierarchy pushed our development of

1. Remapping spectral elements to/from finite volumes
2. Flux accumulation during atmospheric substeps within a coupling cycle
3. Remapping boundary masking and flux splitting
4. Unintrusive specification of coupled boundary conditions to modify standalone models

Future Plans: A Hierarchy of Coupled Models



References

Antonelli, Marta & Rotunno, Richard. (2007). Large-Eddy Simulation of the Onset of the Sea Breeze. *Journal of The Atmospheric Sciences - J ATOMOS SCI.* 64. 4445-4457. 10.1175/2007JAS2261.1.
 Craig, A., Valcke, S., and Coquart, L.: Development and performance of a new version of the OASIS coupler, OASIS3-MCT_3.0, *Geosci. Model Dev.*, 10, 3297–3308, <https://doi.org/10.5194/gmd-10-3297-2017>, 2017.
 Paul A. Ullrich and Mark A. Taylor, 2015: Arbitrary-Order Conservative and Consistent Remapping and a Theory of Linear Maps: Part 1. *Mon. Wea. Rev.*, 143, 2419–2440, doi: 10.1175/MWR-D-14-00343.1
 Paul A. Ullrich, Darshi Devendran and Hans Johansen, 2016: Arbitrary-Order Conservative and Consistent Remapping and a Theory of Linear Maps, Part 2. *Mon. Weather Rev.*, 144, 1529-1549, doi: 10.1175/MWR-D-15-0301.1.



ClimaCoupler